





WHITE MATTE BOPP 54 μ m	
HOTMELT ADHESIVE TH1	
GLASSINE 60g/m ²	



Description

This white matte BOPP face film is coated for conventional printing like flexography, offset, screen printing as well as thermal transfer. The hotmelt adhesive TH1 presents high initial tack for rough surface like cardboard for packaging and logistic labelling.

Facestock

Top Coated White Matte BOPP

Caliper (μ m) ISO 534	54 (\pm 4%)
Finish (gloss level @60 \circ)	8 (\pm 5%)

Adhesive

Hotmelt

Caliper (μ m)	18 (\pm 1)
Initial Tack (N/in) FTM 9 (Glass)	\geq 16
90 $^\circ$ Peel Adhesion (N/in) FTM 2 (Steel)	\geq 8
Shear 9.8N/in ² (hours) FTM 3	\geq 15
Minimum Application Temperature ($^\circ$ C)	5
Service Temperature ($^\circ$ C)	-20 to 65

Liner

White glassine paper.

Caliper (μ m) ISO 536	52 (\pm 4%)
Weight (g/m ²) ISO 534	58 (\pm 4%)
Release Force (gf)	15 to 35

Storage Information

Must be stored at temperature of 23 (\pm 2) $^\circ$ C and humidity 50 (\pm 5) %.

Printing Processes

Flexo / Letter Press (Y), Offset (Y), Screen Off (Y), Thermal Transfer (Y), Direct Thermal (N), UV Inkjet (test before print), Laser Jet / Dry Toner (N), HP Indigo (works on roll-to-roll indigo machine with pre-coating).